



APHRODITE

(CABLE SUSPENDED)



KEY FEATURES



- EXTRUDED ALUMINUM HOUSING
- NO DIODE IMAGING
- MACHINED END CAPS
- MADE IN THE USA
- 5 YEAR WARRANTY
- UL LISTED FOR DRY/DAMP LOCATIONS



BUILD YOUR FIXTURE

APH

MOUNTING	NOMINAL LENGTH	CCT / CRI	DIRECT OUTPUT	INDIRECT OUTPUT	VOLTAGE	DRIVER	HOUSING FINISH	END CAP FINISH	CANOPY SIZE/FINISH	POWER CORD	DROP LENGTH	EMERGENCY	OPTIONS
----------	----------------	-----------	---------------	-----------------	---------	--------	----------------	----------------	--------------------	------------	-------------	-----------	---------

MOUNTING	NOMINAL LENGTH	CCT / CRI	DIRECT OUTPUT	INDIRECT OUTPUT	VOLTAGE	DRIVER
CSB Cable Suspended Bi-Directional	2 2'	827 2700K 80CRI	VLO Very Low Output 4W 511 Lm /Ft.	VLO Very Low Output 4W 513 Lm /Ft.	U Universal 1 120v 2 227v	1D 0-10v dim to 1% 0D 0-10v dim to .1% LDE1 Lutron Ecosystem 1% LDE5 Lutron Ecosystem 5% CD Custom Driver (consult factory)
	3 3'	830 3000K 80CRI	LO Low Output 6W 748 Lm /Ft.	LO Low Output 6W 751 Lm /Ft.		
	4 4'	835 3500K 80CRI	MO Medium Output 8W 974 Lm /Ft.	MO Medium Output 8W 978 Lm /Ft.		
	5 5'	840 4000K 80CRI	HO High Output 10W 1187 Lm /Ft.	HO High Output 10W 1162 Lm /Ft.		
	6 6'	927 2700K 90CRI	VHO Very High Output 12W 1507 Lm /Ft.	VHO Very High Output 12W 1513 Lm /Ft.		
	7 7'	930 3000K 90CRI	CPO Custom Power Output	CPO Custom Power Output		
	8 8'	935 3500K 90CRI				
	12 12'	940 4000K 90CRI				
	CR Cont. Run	RGB				
	CS Custom Shapes	RGBW				
		CLED Custom LED Board				

HOUSING FINISH	END CAP FINISH	CANOPY SIZE/FINISH	POWER CORD	DROP LENGTH	EMERGENCY	OPTIONS
M Mill SC Satin Clear SW Satin White MB Matte Black CF Custom Finish	MF Machined Finish P Polished SW Satin White MB Matte Black CF Custom Finish	44W 4" White canopies 44B 4" Black canopies 44M 4" Machined canopies 44C 4" Custom canopies <hr/> 41W 4" Power feed canopy, 1-1/4" trim ring (white) 41B 4" Power feed canopy, 1-1/4" trim ring (black) 41M 4" Power feed canopy, 1-1/4" trim ring (machined) 41C 4" Power feed canopy, 1-1/4" trim ring (custom)	W White B Black CU Custom POS Power Over Suspension (Requires remote driver - Consult factory)	2 2' 4 4' 6 6' 8 8' CL Custom Length	X No EM EM7 7 Watt EM EM10 10 Watt EM EMW Emergency Wiring (system by others)	DS Dual Switching NL nLight Sensor LS Lutron Sensor OS Other Sensor

FYSIKÓS (PHYSICAL)

- 6063 aluminum alloy is used to create a strong, light weight fixture housing
- 80+ CRI is standard; 90+ CRI is available
- Machined aluminum end caps with no visible fasteners are standard

DIANOITKÓS (MENTAL)

- The Aphrodite comes in three options for light performance, direct, indirect, and bidirectional
- Contact the factory for optional controls including daylight and occupancy sensors

PNUEMATIKÓS (SPIRITUAL)

- All artience lighting fixtures are proudly made in the usa
- Artience lighting fixtures are ul approved for dry/ damp locations (pending)
- All artience lighting fixtures are covered by our 5 year warranty


APHRODITE


(PHOTOMETRICS)

PERFORMANCE DATA

DATA BASED ON 12 WATTS PER FT., 4000K CCT.

POWER/LUMEN OUTPUT					
DRIVER POWER	WATTS/FT		LUMENS/FT		LUMENS/W
	DIRECT	INDIRECT	DIRECT	INDIRECT	
A	4	4	511	513	128
B	6	6	748	751	125
C	8	8	974	978	122
D	10	10	1187	1162	119
E	12	12	1507	1513	114.44

CONE OF LIGHT TABULATION			
MOUNTING HEIGHT (FT)		LIGHT LEVEL (FC)	DIAMETER (FT)
6.00		56.5	18.9
8.00		31.8	25.2
10.00		20.3	31.6
12.00		14.1	37.9
14.00		10.4	44.2
16.00		7.9	50.5



0° - 180°	45° - 225°	90° - 270°	135° - 315°
15° - 195°	60° - 240°	105° - 285°	150° - 330°
30° - 210°	75° - 255°	120° - 300°	160° - 345°

TOTAL LUMEN OUTPUT: 12085 LUMENS

MAXIMUM CANDELA: 2046 CANDELA

FIXTURE EFFICACY: 114.44 LUMENS/W*

*FIXTURE EFFICACY CAN BE INCREASED BY REDUCING DRIVER POWER.

BEAM AND FIELD INFORMATION	
CIE TYPE	BIDIRECTIONAL
CENTER BEAM INTENSITY:	? CANDELA
CENTRAL CONE INTENSITY:	? CANDELA
BEAM FLUX:	? LUMENS
BEAM ANGLE (0-180):	? DEGREES
FIELD ANGLE (90-270):	? DEGREES
FIELD ANGLE (0-180):	? DEGREES
BEAM ANGLE (90-270):	? DEGREES

APHRODITE


(NEED HEADER FOR THIS)

FINISH OPTIONS

HOUSING



SATIN CLEAR



WHITE




BLACK

END CAPS



MACHINED ALUMINUM



WHITE



BLACK



HYGIEIA IN CUSTOM RED

CUSTOM FINISHES

HOUSING



RAL POWDERCOAT



CUSTOM ANODIZED

END CAPS



RAL POWDERCOAT

CANOPIES



MACHINED ALUMINUM



RAL POWDERCOAT