



HEMERA

(CABLE SUSPENDED)



KEY FEATURES



- EXTRUDED ALUMINUM HOUSING
- NO DIODE IMAGING
- MACHINED END CAPS
- MADE IN THE USA
- 5 YEAR WARRANTY
- UL LISTED FOR DRY/DAMP LOCATIONS



BUILD YOUR FIXTURE

HEM

LENS TYPE	LENS DIRECTION	MOUNTING	SIZE/ PATTERN	CCT/CRI	VOLTAGE	DRIVER	POWER OUTPUT	HOUSING FINISH	POWER CORD	DROP LENGTH
LENS TYPE	LENS DIRECTION	MOUNTING	SIZE / PATTERN				CCT / CRI		VOLTAGE	
FL Flat Lens DL Drop Lens	B Bidirectional D Direct N Indirect LI Lens In LO Lens Out	CS Cable Suspended SM Surface Mount	S2 2'X2' Square S4 4'X4' Square S6 6'X6' Square S8 8'X8' Square CS Custom Square (Consult factory for details)	R24 2'X4' Rectangle R26 2'X6' Rectangle R46 4'X6' Rectangle R48 4'X8' Rectangle CR Custom Rectangle (Consult factory for details)	827 2700K 80CRI 830 3000K 80CRI 835 3500K 80CRI 840 4000K 80CRI 927 2700K 90CRI 930 3000K 90CRI 935 3500K 90CRI 940 4000K 90CRI RGB RGB RGBW RGBW CLED Custom LED Board	U Universal				

DRIVER	POWER OUTPUT	HOUSING FINISH	POWER CORD	DROP LENGTH	CUSTOM
1D 0-10v dim to 1% 0D 0-10v dim to .1% LDE1 Lutron Ecosystem 1% LDE5 Lutron Ecosystem 5% CD Custom Driver (consult factory)	VLO Very Low Output 4W 555 Lm /Ft. LO Low Output 6W 815 Lm /Ft. MO Medium Output 8W 1060 Lm /Ft. HO High Output 10W 1285 Lm /Ft. VHO Very High Output 12W 1495 Lm /Ft. CPO Custom Power Output	M Mill SC Satin Clear SW Satin White MB Matte Black CF Custom Finish	W White B Black CU Custom	2 2' 4 4' 6 6' 8 8' CL Custom Length	CS Custom Size CR Custom Request

FYSIKÓS (PHYSICAL)

- 6063 aluminum alloy is used to create a strong, light weight fixture housing
- 80+ CRI is standard; 90+ CRI is available
- Machined aluminum end caps with no visible fasteners are standard

DIANOITKÓS (MENTAL)

- The Hemera comes in one option for light performance, bidirectional.
- Contact the factory for optional controls including daylight and occupancy sensors

PNUEMATIKÓS (SPIRITUAL)

- All artience lighting fixtures are proudly made in the usa
- Artience lighting fixtures are ul approved for dry/ damp locations (pending)
- All artience lighting fixtures are covered by our 5 year warranty

HEMERA


(PHOTOMETRICS)

PERFORMANCE DATA

DATA BASED ON 12 WATTS PER FT., 4000K CCT.

POWER/LUMEN OUTPUT					
DRIVER POWER	WATTS/FT		LUMENS/FT		LUMENS/W
	DIRECT	INDIRECT	DIRECT	INDIRECT	
A	4	4	467	467	120
B	6	6	690	690	117
C	8	8	913	913	115
D	10	10	1137	1137	111
E	12	12	1360	1360	107

CONE OF LIGHT TABULATION			
MOUNTING HEIGHT (FT)		LIGHT LEVEL (FC)	DIAMETER (FT)
6.00		50.9	4.8
8.00		28.6	6.4
10.0		18.3	8.0
12.0		12.7	9.5
14.0		9.4	11.1
16.0		7.2	12.7



*FIXTURE EFFICACY CAN BE INCREASED BY REDUCING DRIVER POWER.

HEMERA


(NEED HEADER FOR THIS)

FINISH OPTIONS


HOUSING



SATIN CLEAR





WHITE



BLACK

END CAPS


MACHINED
ALUMINUM


WHITE



BLACK



HYGIEIA IN CUSTOM RED

CUSTOM FINISHES

HOUSING



RAL
POWDERCOAT

CUSTOM
ANODIZED

END CAPS


RAL
POWDERCOAT

CANOPIES


MACHINED
ALUMINUM

RAL
POWDERCOAT

xýlo



Artience lighting extends the beauty of nature indoors with xýlo. Wood has a beauty and a warmth that elevates our fixtures while at the same time affecting positive changes within a space. Whether it is the sound dampening effect of wood, the calming effect that it can have on humans, or just the sheer beauty of exotic woods hand crafted into works of linear-lighting art, xýlo will give you countless options to meet your design needs.



HYGIEIA + XÝLO

XÝLO OPTIONS



TEAK



WALNUT


WHITE
OAK


BUBINGA


CREATE YOUR
DREAM OPTION